

landscape • architectural • hospitality • entertainment • illumination



FA-TR SERIES TREE RING SYSTEM

SPECIFICATIONS

CONSTRUCTION: Aluminum or brass tree ring, 20" or 24" diameter.
Adjustable fixture hubs allow precise placement of fixtures around tree ring
20" Model fits trunk diameter of 6"-11" and accommodates up to 4 fixtures
24" Model fits trunk diameter of 10"-15" and accommodates up to 6 fixtures

Custom 30" Model fits trunk diameter of 16"-21". Consult factory for set up
Custom 36" Model fits trunk diameter of 22"-27". Consult factory for set up

MOUNTING: 4x 3/8" x 6" SS Hex Bolts (to secure to tree trunk)

2x 3/8" x 1.5" SS Hex Bolts (closes ring)

4x or 6x 1/2" NPT fittings (secures up to four or six fixtures)

12V TREE RING: One CFA-111 junction box/fixture hub to make 12v wire connections inside for each fixture and 120v LED Driver/Transformer connections if input power to tree ring is 120v.

Additional 12v hubs on tree ring are machined aluminum or brass 1/2"NPS female hubs.

All hubs are horizontally adjustable for precise placement of fixtures around tree ring.

120V TREE RING: All hubs are aluminum or brass 120v FA-111 junction boxes with 1/2"NPS female for fixture mounting.


All hubs are horizontally adjustable for precise placement of fixtures around tree ring.

FINISH:


Aluminum - Black Texture (-BLT) or Bronze Texture (-BRT) powder coat
Brass - Unfinished (-BRS) or Acid Rust (-BAR)

Note: All fixtures, LED drivers and transformers sold separately

Tools Required: #8 (5/32) and #4 (3/32) Allen hex key wrench



FA-TR-204HBRS
w/ 4x RXD-08-LED-BRS



	A	B
FA-TR-20	20" Dia.	2"
FA-TR-24	24"Dia.	2"

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	SHIP WEIGHT
12v		
FA-TR-204H-BLT	20" 12v Aluminum Tree ring w/ 4 fixture hubs	5.0 lbs
FA-TR-244H-BLT	24" 12v Aluminum Tree ring w/ 4 fixture hubs	6.0 lbs
FA-TR-204H-BRS	20" 12v Brass Tree ring w/ 4 fixture hubs	5.0 lbs
FA-TR-244H-BRS	24" 12v Brass Tree ring w/ 4 fixture hubs	6.0 lbs
120v		
FA-TR-204H120-BLT	20" 120v Aluminum Tree ring w/ 4 x 120v j-boxes	5.0 lbs.
FA-TR-244H120-BLT	24" 120v Aluminum Tree ring w/ 4 x 120v j-boxes	6.0 lbs
FA-TR-204H120-BRS	20" 120v Brass Tree ring w/ 4 x 120v j-boxes	5.0 lbs
FA-TR-244H120-BRS	24" 120v Brass Tree ring w/ 4 x 120v j-boxes	6.0 lbs

Individual hubs for adding 12v fixtures to a tree ring:

FA-TR-HUB-BLT 12v Aluminum Tree Ring Hub, 1/2"NPS, BLACK TEX
FA-TR-HUB-BRS 12v Brass Tree Ring Hub, 1/2"NPS

Individual J-box for adding 120v fixtures to a tree ring:

FA-TR-JBOX 120v/12v Composite Tree Ring J-Box (CFA-111), 1/2"NPS

Note: All fixtures, drivers & transformers sold separately



Groove allows precise placement of fixture hubs



LED Drivers & Transformers fit inside
CFA-111 junction box on 12v Tree Ring
(Drivers & Transformers sold separately)



Virtually any Focus directional bullet is compatible with the Focus tree ring, including these popular fixtures



RXD-01 Series



RXD-02 Series



RXD-08 Series



DL-44 Series



DL-22 Series



DL-20 Series



DL-30 Series



DL-21 Series



DL-42/43/45 Series

(Fixtures sold separately)



FA-TR SERIES TREE RINGS TYPICAL APPLICATIONS



3 Up
FA-TR-204H-BLT



2 Up / 2 Down
FA-TR-204H-BLT



2 Up / 4 Down
FA-TR-206H-BLT

★ FOCUS INDUSTRIES®, INC.

WORLD HEADQUARTERS

25301 Commercentre Drive, Lake Forest, CA 92630

Phone: (949) 830-1350 • Toll free: (888) 882-1350

www.focusindustries.com

E-mail: sales@focusindustries.com

REGIONAL DISTRIBUTION CENTERS



MEMBER OF



Made in the U.S.A.

